

Aluminium alloy specification



Components	Impurities	Percentage (%)
Silicon		0.05 - 0.20
Zinc		3.50 - 5.00
Titanium		0.01 - 0.05
Bismuth		0.05 - 0.15
Indium		0.02 - 0.05
Aluminium		Remainder
Copper		0.01 max
Iron		0.15 max
Others each		0.02 max
Others total		0.05 max

Electrochemical capacity: 2700 AHr / Kg nominal
Solution potential: -1100 mV vs. Ag / AgCl reference cell nominal (in seawater)

Other specifications are available on request.

Note: All dimensions and weights are nominal. Dimensions in mm
 All data is subject to change without prior notice
 Anode is fitted with holes suitable for M16 studs and nuts
 Anode can also be provided with backing sheet or backside coated

Nett Weight: 2.6 Kg
 Gross Weight: 3.1 Kg

Date:			Materiaal Metingen Europe bv Rietdekkerstraat 16 P.O. Box 4222 2980 GE Ridderkerk Netherlands Tel. +31 (0)180-48 28 28 Fax +31 (0)180-46 22 41 www.mme-group.com		Projection:  Scale: 1:3
			Order number:	Aluminium Alloy Bolt On Hull Anode MME 26AB	
Description:	Drawn: PdG	Date: 31-07-13	Project:		Sheet 1/1
	Checked: JdR	Date: 31-07-13	Dwg: MME 26AB		
Rev.	Approved: PM	Date: 31-07-13	Copyright MME. No part of this drawing may be copied, disclosed, or made public, in any form, without prior written consent of Materiaal Metingen Europe.		